

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5381533").PN.	USPAT; USOCR	OR	OFF	2006/03/17 11:36
S1	3375	instruction adj buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:31
S2	17	(instruction adj buffer) with (address near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:34
S3	13	(instruction adj buffer) with (address near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:37
S4	1	(consecutive adj instructions) with (address near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:37
S5	26	(consecutive adj instructions) same (address near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:38
S6	405	(instructions) with (address near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:39
S7	36	(instructions) with (address near2 range) with determin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:43

EAST Search History

S8	8	(consecutive adj instructions) near10 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:47
S9	685	(instruction adj buffer) same (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:47
S10	499	(instruction adj buffer) with (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:48
S11	50	(instruction adj buffer) with (instruction adj cache) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:26
S12	59	(instruction near3 buffer) near10 (instruction near2 cache) near10 select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 12:24
S13	202	(instruction near2 address\$2 near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:20
S14	29	(instruction near2 address\$2 near2 range) same (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 12:26
S15	24	determin\$3 with (instruction near2 address\$2 near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 12:48

EAST Search History

S16	8	fall\$3 with (instruction near2 address\$2 near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:20
S17	48	(fall\$3 or within) with (instruction near2 address\$2 near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:38
S18	208	(instruction\$1 near2 stream near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:39
S19	80	(instruction\$1 near2 stream near2 buffer) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:39
S20	62	(instruction\$1 near2 stream near2 buffer) same (instruction\$1 near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:49
S21	938	(consecutive near2 instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 14:50
S22	44	(consecutive near2 instructions) same (instruction near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:34
S23	572	(select\$3 near2 instructions) same (instruction near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:01

EAST Search History

S24	572	((select\$3 or slector) near2 instructions) same (instruction near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:34
S25	37	((select\$3 or slector) near2 instructions) same (instruction near2 cache) same (instruction near2 (buffer or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:16
S26	83	(select\$3 or slector) near10 (instruction near2 cache) near10 (instruction near2 (buffer or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:29
S27	0	(select\$3 or slector) near10 (instruction near2 cache) near10 (instruction near2 (buffer or register)) near10 (address near2 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:30
S28	36	(select\$3 or slector) near10 (instruction near2 cache) near10 (instruction near2 (buffer or register)) near10 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:03
S29	0	(address near2 range) with (consecutive adj instruction\$1)	USPAT	OR	OFF	2006/01/12 15:58
S30	1	(address near2 range) with (consecutive adj instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:58
S31	26	(address near2 range) same (consecutive adj instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 15:58
S32	32	(address near2 range) same (consecutive near2 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:02

EAST Search History

S33	4	(address near2 table) same (consecutive near2 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:02
S34	76	(instruction adj (buffer or register)) same (address near4 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 21:32
S35	6	(instruction adj (buffer or register)) same (address near4 range) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 21:35
S36	1025	(instruction adj (buffer or register)) same (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 21:35
S37	8	(instruction adj (buffer or register)) same (instruction adj cache) same (address adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:14
S38	4	(instruction adj (buffer or register)) same (instruction adj cache) same (instruction\$1 near5 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:15
S39	33	(instruction adj (buffer or register)) same (instruction\$1 near5 address near5 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:16
S40	253	((select\$3 or slector) near2 instructions) same cache same (buffer or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:35

EAST Search History

S41	46	((select\$3 or slector) near2 instructions) with cache with (buffer or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:43
S42	721	((select\$3 or slector) near2 instructions) with (instruction\$1 near5 (buffer or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:44
S43	86	((select\$3 or slector) near2 instructions) same (instruction\$1 near5 (buffer or register)) same (cache near2 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:45
S44	3	((select\$3 or slector) near2 instructions) same (instruction\$1 near5 (buffer or register)) same (cache near2 instruction) same (address near5 (table or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:47
S45	5	((select\$3 or slector) near2 instructions) same (cache near2 instruction) same (address near5 (table or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:48
S46	73	((select\$3 or slector)) same (cache near2 instruction) same (address near5 (table or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:49
S47	17	((select\$3 or slector)) same (cache near2 instruction) same ((address near5 range) near5 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:53
S48	124	(address adj range) same (determin\$5) same (instruction near3 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:54

EAST Search History

S49	41	(address adj range) with (determin\$5) with (instruction near3 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 22:54
S50	693	consecutive adj instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 12:23
S51	79	(consecutive adj instruction\$1) near10 (buffer or register or FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 12:24
S52	1	(consecutive adj instruction\$1) near10 (address adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 14:58
S53	1	(consecutive adj instruction\$1) with (address adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 14:59
S54	716	(instruction\$1) with (address adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 15:00
S55	2	((consecutive or successive or sequent\$3 or (in adj order)) near2 instruction\$1) with (address adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 15:25
S56	87	processor near5 between near5 (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:39

EAST Search History

S57	198	(processor or core or CPU) near5 between near5 (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:43
S58	0	(processor or core or CPU) near5 between near5 (instruction adj cache) near10 (instruction adj bufer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:41
S59	0	(processor or core or CPU) near5 between near5 (instruction adj cache) near10 (instruction near2 bufer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:41
S60	0	(processor or core or CPU) near5 between near5 (instruction adj cache) near10 (bufer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:43
S61	0	(processor or core or CPU) near5 between near5 (bufer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:01
S62	91	S57 and @pd<="20030108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 16:58
S63	427	(712/216).CCLS.	USPAT; USOCR	OR	OFF	2006/03/05 16:58
S64	247	(711/125).CCLS.	USPAT; USOCR	OR	OFF	2006/03/05 16:58
S65	4	S63 and S64	USPAT	OR	OFF	2006/03/05 16:58
S66	146	(STASH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:05

EAST Search History

S67	3	(STASH) with (processor or core or CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:02
S68	1490	(semiconductor adj memory adj device) with (processor or CPU or core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:05
S69	2	(semiconductor adj memory adj device) with (processor or CPU or core) with (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:06
S70	20	(memory adj device) with (processor or CPU or core) with (instruction adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/05 17:06
S71	546	(instruction near2 (buffer or register or FIFO)) with map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:22
S72	3	(instruction near2 (buffer or register or FIFO)) with map\$4 with (address near2 (table or list or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:26
S73	108	(subtract\$3 with (address\$2 near2 (maximum or minimum)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:33
S74	9	(subtract\$3 with (address\$2 near2 (maximum or minimum)) with (address near2 (table or list or range)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:28
S75	1090	(711/202).CCLS.	USPAT; USOCR	OR	OFF	2006/03/13 10:31

EAST Search History

S76	490	(711/168).CCLS.	USPAT; USOCR	OR	OFF	2006/03/13 10:31
S77	15	S71 and S75	USPAT	OR	OFF	2006/03/13 10:31
S78	0	S71 and S76	USPAT	OR	OFF	2006/03/13 10:32
S79	151	(711/166).CCLS.	USPAT; USOCR	OR	OFF	2006/03/13 10:32
S80	0	S71 and S79	USPAT	OR	OFF	2006/03/13 10:32
S81	11	determin\$5 with (subtract\$3 with (address\$2 near2 (maximum or minimum)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:33